

## Appendix H


**Design Drawings** 



**Typical Cross Section** 



\* ALSO SEE END SECTION DETAILS




## TYPICAL TRACK SECTION - B

START STA \* 10868+94.54

END STA \*

\* ALSO SEE END SECTION DETAILS



10993+00.00

\* ALSO SEE END SECTION DETAILS







NN BY: NR -HDR CKED BY: UNION PACIFIC RAILROAD HECKED BY: MPH-HDR

APRIL 09,201:

Office of Assistant Vice President **Engineering Design** HIGH-SPEED RAIL GIRARD SIDING

SPRINGFIELD SUBDIVISION MP 203 TO MP 215

TRACK TYPICAL SECTIONS T001 of T005

NOTES:

TYPICAL SECTIONS SHOW TYPICAL DIMENSIONS. TRACK CENTERS, SHOULDER & DITCH WIDTHS, AND DITCH DEPTHS ARE VARIABLE. SEE PLANS AND CROSS SECTIONS FOR ADDITIONAL INFORMATION

2. SEE PLANS AND CROSS SECTIONS FOR EXISTING AND PROPOSED RIGHT-OF-WAY DIMENSIONS.

4. TYPICAL WIDTHS VARY AT SIGNAL MOUNDS AND TURNOUT PADS.

3. SEE ROADWAY END SECTIONS FOR AREAS ADJACENT TO ROADWAYS